## **BRFSS REPORT: FUNCTIONAL DISABILITY, FINAL 2017**

North Carolina Population: Adults (ages 18+)

Functional Disability (Yes)\*\* 1,517 28.3 Functional Disability (No) 3,228 71.7

	YES				NO			
FUNCTIONAL DIS	N <b>ABIL</b>	Weighted Percent	95% C.I.	N	Weighted Percent	95% C.I.		
SEX								
Male	639	46.5	43-49.9	1,480	48.6	46.3-50.8		
Female	878	53.5	50.1-57	1,746	51.4	49.2-53.7		
RACE								
Non-Hispanic White	984	66.6	63.3-70	2,130	66.4	64.3-68.6		
Non-Hispanic Black	322	22.7	19.7-25.8	593	19.8	17.9-21.6		
Non-Hispanic Other	111	4.0	2.8-5.1	211	5.8	4.8-6.8		
Hispanic	78	6.6	4.8-8.5	257	8.0	6.7-9.3		
AGE IN YEARS								
18-24	57	7.3	5.1-9.6	300	15.0	13.2-16.9		
25-34	108	11.0	8.7-13.3	493	18.9	17.1-20.7		
35-44	113	11.0	8.5-13.5	512	18.2	16.5-20		
45-54	228	15.8	13.3-18.4	564	16.6	15-18.2		
55-64	347	20.5	17.9-23.2	565	15.5	13.9-17		
65-74	335	17.3	14.9-19.7	503	10.9	9.7-12.2		
75+	321	16.9	14.6-19.3	249	4.9	4.1-5.7		
MARITAL STATUS								
Married	646	45	41.4-48.2	1,793	53.6	51.4-55.9		
Separated/Divorced	322	18.7	16.2-21.3	440	11.6	10.2-13		
Widowed	290	14	12-16.4	229	5.0	4-5.9		
Never married or								
partnered	255	22	19.1-25.4	754	29.8	27.6-31.9		
EDUCATION LEVEL								
Less Than H.S.	263	25	21.3-28	226	9.9	8.3-11.5		
H.S. or G.E.D.	459	30.6	27.5-33.8	753	25.4	23.4-27.4		
Some Post-H.S.	452	31.8	28.6-35	859	33.5	31.3-35.7		
College Graduate	338	13	11.2-14.7	1,384	31.2	29.3-33.1		
EMPLOYMENT STATUS								
Employed/Self-employed	392	31.7	28.4-35.1	2,063	67.2	65.1-69.3		
Unemployed	71	6.3	4.5-8.2	109	3.6	2.7-4.5		
Other	653	37	34.1-40.6	976	27.4	25.4-29.4		
Unable to work	393	24.6	21.6-27.5	60	1.8	1.2-2.4		
INCOME LEVEL								
< \$15,000	258	21	18.1-24.5	174	5.8	4.7-6.9		
\$15,000 to \$24,999	315	25	21.6-28.1	412	16.1	14.1-18		
\$25,000 to \$34,999	163	14.0	11.2-16.8	310	11.4	9.8-12.9		
\$35,000+	472	40	36.1-43.7	1,828	66.8	64.4-69.1		

		YES			NO			
	N	Weighted Percent	95% C.I.	N	Weighted Percent	95% C.I.		
HEALTH RISK FA	ACTO	RS						
HEALTH CARE COVER								
Yes	1,319	83.7	80.9-86.5	2,829	85.8	84.1-87.4		
No	190	16.3	13.5-19.1	389	14.2	12.6-15.9		
<b>CURRENT SMOKING</b>								
No	1,144	73.4	70.2-76.6	2,812	86.6	85-88.2		
Yes	358	26.6	23.4-29.8	398	13.4	11.8-15		
ANY LEISURE TIME PH								
Yes	864	60.5	57-63.9	2,482	79.9	78.1-81.7		
No	603	39.5	36.1-43	635	20.1	18.3-21.9		
BODY MASS INDEX - TI								
Normal	388	26.9	23.8-30	1,029	35.5	33.3-37.8		
Overweight	472	32.4	29-35.7	1,105	35.8	33.6-38		
Obese	565	40.7	37.2-44.2	851	28.7	26.6-30.8		
COULD NOT SEE DOCT			00.4.00.0	005	40.0	40.0.40.0		
Yes	331	25.3	22.1-28.6	365	12.3	10.8-13.8		
No	1,183	74.7	71.4-77.9	2,859	87.7	86.2-89.2		
USE ANY TOBACCO PR No Use		67.0	04 0 74 0	2,231	00.2	70.00.0		
Use at least 1 product	982 403	67.8 32.2	64.3-71.3 28.7-35.7	450	80.2 19.8	78-82.3 17.7-22		
USE OF MULTIPLE TOE			20.7-33.7	450	19.0	11.1-22		
No Use	982	67.8	64.3-71.3	2,231	80.2	78-82.3		
Use single product	349	27.4	24-30.7	395	16.9	14.9-19		
Use multiple products	54	4.8	3-6.6	55	2.9	2-3.8		
TRIED TO QUIT SMOKI		11.0	0 0.0	00	2.0	2 0.0		
Yes	214	54.2	46.9-61.4	235	62.8	56.8-68.8		
No	143	45.8	38.6-53.1	162	37.2	31.2-43.2		
E-CIGARETTE/VAPING								
Never Used	1,185	76.4	73.3-79.5	2,729	81.7	79.9-83.5		
No Longer Used	250	18.2	15.4-21	372	14.0	12.4-15.6		
Use Some Days	33	3.3	1.7-4.9	58	2.6	1.8-3.5		
Use Every Day	27	2.1	1-3.2	35	1.6	1-2.3		
PERCEIVED POO	OR HE	ALTH						
GENERAL HEALTH								
Excellent/Vg/Good	825	55.9	52.5-59.4	2,935	90.5	89.1-91.9		
Fair/Poor	680	44.1	40.6-47.5	284	9.5	8.1-10.9		
NUMBER OF DAYS PHY								
None	589	42.6	39.1-46.1	2,432	76.1	74.2-78		
1-7 days	259	18.1	15.5-20.8	552	17.2	15.5-18.8		
8-30 days	616	39.3	35.9-42.7	212	6.7	5.5-7.8		
NUMBER OF DAYS MEI				0.105				
None	806	51.0	47.5-54.5	2,400	71.9	69.8-74		
1-7 days	222	15.5	13-18	541	18.9	17.1-20.8		
8-30 days	454	33.5	30.1-36.8	257	9.2	7.8-10.6		
DAYS HEALTH IMPAIRE			F0 7 00 0	0.700	05.0	04 4 07 5		
None	840	57.1	53.7-60.6	2,783	85.9	84.4-87.5		
1-7 days	183	12.9	10.6-15.2	327	9.9	8.6-11.2		
8-30 days	451	30.0	26.8-33.2	110	4.1	3.2-5.1		

	YES			NO				
	N	Weighted Percent	95% C.I.	N	Weighted Percent	95% C.I.		
<b>CHRONIC HEALT</b>	H CO	NDITIONS						
<b>EVER HAD A STROKE</b>								
Yes	148	9.0	7-10.9	70	1.6	1.1-2.1		
No	1,353	91.0	89.1-93	3,155	98.4	97.9-98.9		
EVER HAD ASTHMA								
Yes	308	19.3	16.6-21.9	339	11.3	9.9-12.8		
No	1,203	80.7	78.1-83.4	2,885	88.7	87.2-90.1		
CURRENT ASTHMA								
Yes	226	13.6	11.3-15.8	220	7.5	6.3-8.7		
No	1,273	86.4	84.2-88.7	2,997	92.5	91.3-93.7		
OTHER CANCER DIAGN								
Yes	220	12.7	10.4-14.9	200	4.5	3.6-5.3		
No	1,294	87.3	85.1-89.6	3,017	95.5	94.7-96.4		
CHRONIC OBSTRUCTIV		•	•	4.40	0.0	0.4.4.0		
Yes	292	18.2	15.6-20.7	143	3.9	3.1-4.8		
No	1,209	81.8	79.3-84.4	3,073	96.1	95.2-96.9		
ARTHRITIS	004	F0.0	47 4 5 4 4	500	44.5	40.4.40		
Yes	861	50.6	47.1-54.1	598	14.5	13.1-16		
No DEDDESSION	644	49.4	45.9-52.9	2,615	85.5	84-86.9		
DEPRESSION	532	37.3	33.9-40.8	396	13.2	11.6-14.7		
Yes No	975	62.7	59.2-66.1	2,821	86.8	85.3-88.4		
KIDNEY DISEASE	913	02.1	59.2-00.1	2,021	00.0	00.0-00.4		
Yes	132	9.1	7-11.2	65	2.3	1.6-3.1		
No	1,373	90.9	88.8-93	3,157	97.7	96.9-98.4		
DIABETES	1,070	50.5	00.0 00	0,107	01.1	30.3 30.4		
Yes	353	20.8	18.1-23.5	287	7.6	6.5-8.8		
No	1,160	79.2	76.5-81.9	2,937	92.4	91.2-93.5		
CHRONIC DISEASE INDI				_,				
No chronic disease	230	18.6	15.9-21.4	1,772	58.3	56.1-60.5		
1 chronic disease	375	26.0	22.9-29.1	856	25.9	23.9-27.9		
2+ chronic diseases	911	55.4	51.9-58.8	598	15.8	14.2-17.3		
USE OF PREVEN	TIVE	CARE						
USE OF PREVENTIVE CARE HAD FLUSHOT IN PAST 12 MONTHS								
Yes	764	48.9	45.4-52.4	1,464	43.6	41.3-45.9		
No	685	51.1	47.6-54.6	1,615	56.4	54.1-58.7		
EVER HAD PNEUMONIA		01.1	47.0 04.0	1,010	оот	54.1 50.7		
Yes	762	49.8	46.1-53.4	985	32.7	30.4-35		
No	602	50.2	46.6-53.9	1,747	67.3	65-69.6		
LAST HAD YOUR BLOOK				.,,	37.10	00 00.0		
Never	93	9.3	7-11.7	235	9.4	7.9-10.9		
		76.1	72.8-79.3	2,220	69.5	67.4-71.7		
Within past year	1,174	/ (). 1						
Within past year  1 year ago or longer	1,174 178							
1 year ago or longer	178	14.6	11.9-17.3	592	21.0	19.1-22.9		
	178	14.6	11.9-17.3	592	21.0			

		YES			NO			
		Veighted Percent	95% C.I.	N	Weighted Percent	95% C.I.		
TIME SINCE LAST ROUTINE CHECKUP								
1-12 months ago	1,228	77.9	74.8-80.9	2,434	74.0	72-76		
1 to 5+ yrs. or never	272	22.1	19.1-25.2	768	26.0	24-28		

<sup>\*</sup> Any type of cancer diagnosis other than skin cancer.

<sup>\*\*</sup> Functional disability includes having difficulty with hearing, sight, mobility or cognitive processes. See BRFSS 2017 Annual Results Technical Notes for details. (https://schs.dph.ncdhhs.gov/data/brfss/2017/technical.htm)

<sup>\*\*\*</sup> The estimate was suppressed because it did not meet statistical reliability standards.

<sup>\*\*\*\*</sup> This question was asked only of respondents who reported smoking 100 or more cigarettes in her/his entire lifeand currently smoking every day or on some days.

<sup>†</sup>This report presents information for BRFSS respondents aged 18+ by functional disability. The BRFSS does not interview adults living in institutions, such as nursing homes or other long-term care facilities. As a result, this report may not be representative of the entire adult population.